

Alpine GSC

Sample ID: 1912CSALA1652.8971
 Matrix: Concentrates & Extracts
 Type: Cartridge
 Sample Size: 27 units
 Batch Size: 1587 units
 Batch#: 9330GS

Strain: Alpine GSC
 Produced: 12/18/2019
 Collected: 12/19/2019
 Received: 12/19/2019
 Completed: 12/23/2019
 METRC ID: 1A406030000A4CF000000646

Distributor
Summit Manufacturing
 Lic. # C11-0000955-LIC
 3019 Vail Ave., Commerce, CA, 90040

Producer
Summit Manufacturing, LLC
 Lic. # CDPH-10003842
 3019 Vail Ave., Commerce, CA 90040



Summary

Pass

88.60% Total Cannabinoids	Pass Pesticides	Pass Residual Solvents
Pass Microbials	Pass Mycotoxins	Pass Heavy Metals

Cannabinoids

Testing method: HPLC-SOP 101

Pass

Analyte	LOD	LOQ	Results	Results
	%	%	%	mg/g
Δ9-THC	0.00004	0.0001	83.63	836.33
CBG	0.00004	0.0001	3.49	34.90
THCV	0.00004	0.0001	0.51	5.06
CBD	0.00004	0.0001	0.49	4.86
CBN	0.00002	0.0001	0.41	4.05
CBC	0.00001	0.0001	0.08	0.83
CBDa	0.00002	0.0001	ND	ND
CBDV	0.00001	0.0001	ND	ND
CBGa	0.00002	0.0001	ND	ND
THCa	0.00002	0.0001	ND	ND
Δ8-THC	0.00004	0.0001	ND	ND
Total			88.60	886.03

Terpenes

Testing method: HS-GC-FID - SOP 201

Not Tested

NT Moisture Moisture Analyzer SOP-103	NT Water Activity Water Activity Meter SOP-102	Pass Foreign Matter Visual Inspection SOP-600 Date Tested: 12/20/2019
--	---	---

83.63%

Total THC

0.49%

Total CBD

Date Tested: 12/23/2019

Total THC = THCa * 0.877 + d9-THC

Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED LABORATORY
 Accreditation No. 73653



 Mallory Speakman
 Laboratory Director - LA
 12/23/2019



 Anya Engen
 Quality Review
 12/23/2019



 Amanda Bravo
 COA Review
 12/23/2019

Alpine GSC

 Sample ID: 1912CSALA1652.8971
 Matrix: Concentrates & Extracts
 Type: Cartridge
 Sample Size: 27 units
 Batch Size: 1587 units
 Batch#: 9330GS

 Strain: Alpine GSC
 Produced: 12/18/2019
 Collected: 12/19/2019
 Received: 12/19/2019
 Completed: 12/23/2019
 METRC ID: 1A406030000A4CF000000646

 Distributor
Summit Manufacturing
 Lic. # C11-0000955-LIC
 3019 Vail Ave., Commerce, CA, 90040

 Producer
Summit Manufacturing, LLC
 Lic. # CDPH-10003842
 3019 Vail Ave., Commerce, CA 90040

Pesticides

Testing method: LCMS & GCMS-SOP 301 and 302

Pass

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.0009	0.003	0.1	ND	Pass	Fludioxonil	0.0143	0.048	0.1	ND	Pass
Acephate	0.005	0.017	0.1	ND	Pass	Hexythiazox	0.0237	0.079	0.1	ND	Pass
Acequinocyl	0.0193	0.064	0.1	ND	Pass	Imazalil *	0.0077	0.026	0.0077	ND	Pass
Acetamiprid	0.0073	0.024	0.1	ND	Pass	Imidacloprid	0.0053	0.018	5.0	ND	Pass
Aldicarb *	0.0094	0.031	0.0094	ND	Pass	Kresoxim Methyl	0.0182	0.061	0.1	ND	Pass
Azoxystrobin	0.015	0.05	0.1	ND	Pass	Malathion	0.015	0.05	0.5	ND	Pass
Bifenazate	0.0129	0.043	0.1	ND	Pass	Metaxyl	0.0076	0.025	2.0	ND	Pass
Bifenthrin	0.029	0.097	3.0	ND	Pass	Methiocarb *	0.0103	0.034	0.0103	ND	Pass
Boscalid	0.0172	0.058	0.1	ND	Pass	Methomyl	0.0109	0.036	1.0	ND	Pass
Captan	0.036	0.12	0.7	ND	Pass	Methyl Parathion *	0.0091	0.0303	0.0091	ND	Pass
Carbaryl	0.0542	0.181	0.5	ND	Pass	Mevinphos *	0.0041	0.014	0.0041	ND	Pass
Carbofuran *	0.0077	0.026	0.0077	ND	Pass	Myclobutanil	0.01	0.033	0.1	ND	Pass
Chlorantraniliprole	0.0095	0.032	10.0	ND	Pass	Naled	0.0107	0.036	0.1	ND	Pass
Chlordane *	0.0055	0.0182	0.0055	ND	Pass	Oxamyl	0.0071	0.024	0.5	ND	Pass
Chlorfenvinphos *	0.0048	0.0159	0.0048	ND	Pass	Paclobutrazol *	0.0092	0.031	0.0092	ND	Pass
Chlorpyrifos *	0.0197	0.066	0.0197	ND	Pass	Pentachloronitrobenzene	0.0084	0.0279	0.1	ND	Pass
Clofentezine	0.0216	0.072	0.1	ND	Pass	Permethrin	0.0142	0.048	0.5	ND	Pass
Coumaphos *	0.0196	0.065	0.0196	ND	Pass	Phosmet	0.0138	0.046	0.1	ND	Pass
Cyfluthrin	0.0107	0.036	2.0	ND	Pass	Piperonyl Butoxide	0.0156	0.052	3.0	ND	Pass
Cypermethrin	0.0105	0.035	1.0	ND	Pass	Prallethrin	0.018	0.06	0.1	ND	Pass
Daminozide *	0.0052	0.017	0.0052	ND	Pass	Propiconazole	0.013	0.043	0.1	ND	Pass
DDVP *	0.0081	0.027	0.0081	ND	Pass	Propoxur *	0.0097	0.033	0.0097	ND	Pass
Diazinon	0.0134	0.045	0.1	ND	Pass	Pyrethrins	0.0025	0.008	0.5	ND	Pass
Dimethoate *	0.0083	0.028	0.0083	ND	Pass	Pyridaben	0.0236	0.079	0.1	ND	Pass
Dimethomorph	0.0025	0.008	2.0	ND	Pass	Spinetoram	0.0042	0.014	0.1	ND	Pass
Ethoprophos *	0.0112	0.037	0.0112	ND	Pass	Spinosad	0.0002	0.001	0.1	ND	Pass
Etofenprox *	0.0247	0.082	0.0247	ND	Pass	Spiromesifen	0.0199	0.066	0.1	ND	Pass
Etoxazole	0.0269	0.09	0.1	ND	Pass	Spirotetramat	0.0068	0.023	0.1	ND	Pass
Fenhexamid	0.0215	0.072	0.1	ND	Pass	Spiroxamine *	0.0065	0.022	0.0065	ND	Pass
Fenoxycarb *	0.0186	0.062	0.0186	ND	Pass	Tebuconazole	0.0099	0.033	0.1	ND	Pass
Fenpyroximate	0.0253	0.084	0.1	ND	Pass	Thiacloprid *	0.0094	0.031	0.0094	ND	Pass
Fipronil *	0.0228	0.076	0.0228	ND	Pass	Thiamethoxam	0.005	0.017	5.0	ND	Pass
Flonicamid	0.0073	0.024	0.1	ND	Pass	Trifloxystrobin	0.0192	0.064	0.1	ND	Pass

Date Tested: 12/20/2019

* Denotes Category I pesticides, which fail when detected; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED LABORATORY
 Accreditation No. 73653

 PULA
 Testing

Accredited (P203)

 Mallory Speakman
 Laboratory Director - LA
 12/23/2019

 Anya Engen
 Quality Review
 12/23/2019

 Amanda Bravo
 COA Review
 12/23/2019

Alpine GSC

Sample ID: 1912CSALA1652.8971	Strain: Alpine GSC		
Matrix: Concentrates & Extracts	Produced: 12/18/2019		
Type: Cartridge	Collected: 12/19/2019	Distributor	Producer
Sample Size: 27 units	Received: 12/19/2019	Summit Manufacturing	Summit Manufacturing, LLC
Batch Size: 1587 units	Completed: 12/23/2019	Lic. # C11-0000955-LIC	Lic. # CDPH-10003842
Batch#: 9330GS	METRC ID: 1A406030000A4CF000000646	3019 Vail Ave., Commerce, CA, 90040	3019 Vail Ave., Commerce, CA 90040

Microbials

Pass

Testing method: PCR-SOP 400

Analyte	Result	Status
Aspergillus flavus	Not Detected	Pass
Aspergillus fumigatus	Not Detected	Pass
Aspergillus niger	Not Detected	Pass
Aspergillus terreus	Not Detected	Pass
Salmonella	Not Detected	Pass
Shiga toxin-producing E. Coli	Not Detected	Pass

Date Tested: 12/23/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Mycotoxins

Pass

Testing method: LCMS-SOP 301

Analyte	LOD	LOQ	Limit	Results	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	0.0036	0.012		ND	Tested
Aflatoxin B2	0.0092	0.031		ND	Tested
Aflatoxin G1	0.0058	0.019		ND	Tested
Aflatoxin G2	0.0034	0.011		ND	Tested
Total Aflatoxins			20.0	ND	Pass
Ochratoxin A	0.0113	0.038	20.0	ND	Pass

Date Tested: 12/23/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Heavy Metals

Pass

Testing method: ICPMS-SOP 502

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.02	0.06	0.2	ND	Pass
Cadmium	0.03	0.1	0.2	ND	Pass
Lead	0.002	0.005	0.5	0.072	Pass
Mercury	0.02	0.06	0.1	ND	Pass

Date Tested: 12/20/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED LABORATORY
 Accreditation No. 73653

 Mallory Speakman
 Laboratory Director - LA
 12/23/2019

 Anya Engen
 Quality Review
 12/23/2019

 Amanda Bravo
 COA Review
 12/23/2019

Alpine GSC

Sample ID: 1912CSALA1652.8971
 Matrix: Concentrates & Extracts
 Type: Cartridge
 Sample Size: 27 units
 Batch Size: 1587 units
 Batch#: 9330GS

Strain: **Alpine GSC**
 Produced: 12/18/2019
 Collected: 12/19/2019
 Received: 12/19/2019
 Completed: 12/23/2019
 METRC ID: 1A406030000A4CF000000646

Distributor
Summit Manufacturing
 Lic. # C11-0000955-LIC
 3019 Vail Ave., Commerce, CA, 90040

Producer
Summit Manufacturing, LLC
 Lic. # CDPH-10003842
 3019 Vail Ave., Commerce, CA 90040

Residual Solvents

Testing method: HSGCMS-SOP 202

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.1	0.4	1	ND	Pass
Acetone	64.0	214.0	5000	ND	Pass
Acetonitrile	36.0	119.0	410	ND	Pass
Benzene	0.1	0.2	1	ND	Pass
Butane	42.0	141.0	5000	ND	Pass
Chloroform	0.1	0.4	1	ND	Pass
Ethanol	59.0	197.0	5000	ND	Pass
Ethyl-Acetate	43.0	144.0	5000	ND	Pass
Ethylene Oxide	0.2	0.6	1	ND	Pass
Ethyl-Ether	40.0	134.0	5000	ND	Pass
Heptane	46.0	154.0	5000	ND	Pass
Isopropanol	41.0	138.0	5000	ND	Pass
Methanol	160.0	534.0	3000	ND	Pass
Methylene-Chloride	0.1	0.4	1	ND	Pass
n-Hexane	42.0	139.0	290	ND	Pass
Pentane	69.0	229.0	5000	ND	Pass
Propane	21.0	70.0	5000	ND	Pass
Toluene	47.0	156.0	890	ND	Pass
Trichloroethene	0.1	0.4	1	ND	Pass
Xylenes	86.0	287.0	2170	ND	Pass

Date Tested: 12/20/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



ISO / IEC 17025:2017 ACCREDITED LABORATORY
 Accreditation No. 73653

Mallory Speakman
 Laboratory Director - LA
 12/23/2019

Anya Engen
 Quality Review
 12/23/2019

Amanda Bravo
 COA Review
 12/23/2019